

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L64	5	L63 and ("345"/\$.ccls. or "348"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 09:21
L63	94	L60 and (temperature with flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 09:20
L62	2	L60 and ((color adj temperature) with flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 09:20
L61	2	L60 and ((color adj temperature) and lux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 09:19
L60	4229	((display monitor LCD screen) with (illuminat\$3 luminance brightness light)) and (format with (block (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 09:19
L58	30	(L53) and (flag with (mode or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21
L56	5	(L53) and (color adj temperature) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21
L54	25	L53 and ((photodetector or (photo adj detector) or sensor) near7 (screen or display or project\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21
L53	1125	345/426.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21

L51	6	345/546.ccls. and (bit same (register or buffer) same value same type same (luminance or brightness or luminosit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21
L50	1	(L40 or L43) and (flag with (type or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:21
L48	5	(L43) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L46	5	(L43) and (color adj temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L44	1	(L43) and (color adj temperature) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L43	88	L42 and ((sensor or detector) near7 (display or screen or projector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L42	1814	382/274.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L41	7	(L40) and (color adj temperature) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L40	120	348/227.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:19
L38	2	(L36) and (flag with (type or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:16
L37	23	(L36) and (color adj temperature) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:16

L36	276	(L32 or L33 or L34) and (((light or luminance or illuminat\$3 or photo) near3 (sensor or detector)) same (display or screen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:16
L35	276	(L32 or L33 or L34) and (((light or luminance or illuminat\$3 or photo) near3 (sensor or detector)) same (display or screen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:15
L34	1877	345/589.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:15
L33	495	345/207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:15
L32	1083	345/581.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:15
L30	2	(L27) and (color adj temperature) and (chromaticit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:14
L29	4	(L28) and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:14
L28	21	(L27) and (((light or luminance or illuminat\$3 or photo) near3 (sensor or detector)) same (display or screen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:14
L27	1827	345/619.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:14
L26	35	("color temperature" with flag) and ("345"/\$.ccls. or "348"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:09

L24	4	L7 and (flag with color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:09
L22	0	L7 and (flag with chroma\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:09
L21	0	L8 and (flag with chroma\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:09
L19	3	L8 and (flag with color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:03
L17	0	L8 and (flag with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:03
L15	0	L7 and (chromacit\$3 near3 coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:03
L14	0	L8 and (chromacit\$3 near3 coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:03
L12	0	L8 and (chromacit\$3 near3 coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00
L10	58	L7 and (chromaticit\$3 near3 coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00
L9	26	L8 and (chromaticit\$3 near3 coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00
L8	166	L7 and (color adj temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00
L7	2097	L6 and ((light or lamp) near3 (type or dim or bright or dark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00

L6	6313	(luminance or illumina \$4) same (display or screen or (projection or projector)) same ((light or intensity or photo) near3 (sensor or detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/06 08:00
L5	4	(L1 or L2 or L3) and ((illumiance or illumination or luminance or lumination) and flag). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/06 07:56
L4	46	(L1 or L2 or L3) and (illumiance or illumination or luminance or lumination).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/06 07:56
L3	29	huh-young-sik.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/06 07:56
L2	189	park-du-sik.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/06 07:56
L1	10	cho-heui-keun.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/06 07:56

7/ 6/ 2009 9:25:05 AM

**C:\ Documents and Settings\ ACaschera\ My Documents\ EAST\ Workspaces
 \ 10733406_12049026_Huh.wsp**